ELSEVIER

Hearing Research 146 (2000) 200–201

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 146

Adelman, C., see Sohmer, H. (146) 81
Altschuler, R.A., see Nam, Y.-J. (146) 1
Altschuler, R.A., see Shoji, F. (146) 134
Arnold, W., see Kummer, P. (146) 47
Athas, G.B., see Holt, J.C. (146) 17

Cartee, L.A., van den Honert, C., Finley, C.C. and Miller, R.L.
Evaluation of a model of the cochlear neural membrane. I. Physiological measurement of membrane characteristics in response to intrameatal electrical stimulation (146) 143
Cartee, L.A.
Evaluation of a model of the cochlear neural membrane. II: Comparison of model and physiological measures of membrane properties measured in response to intrameatal electrical stimulation (146) 153

Fechter, L.D., see Surin, A.M. (146) 121
Finley, C.C., see Cartee, L.A. (146) 143
Freeman, S., see Sohmer, H. (146) 81
Freeman, S., Sichel, J.-Y. and Sohmer, H.
Bone conduction experiments in animals – evidence for a non-osseous mechanism (146) 72

Geal-Dor, M., see Sohmer, H. (146) 81
Guth, P.S., see Holt, J.C. (146) 17

Hartman, S.S., see Nam, Y.-J. (146) 1
Holt, J.C., Pantoja, A.M., Athas, G.B. and Guth, P.S.
A role for chloride in the hyperpolarizing effect of acetylcholine in isolated frog vestibular hair cells (146) 17
Huang, C.Q. and Shepherd, R.K.
Reduction in excitability of the auditory nerve following electrical stimulation at high stimulus rates: V. Effects of electrode surface area (146) 57
Hulin, P., see Kummer, P. (146) 47

Janssen, T., see Kummer, P. (146) 47
Jung, S.J., see Lee, J.H. (146) 7

Kapadia, S. and Lutman, M.E.
Nonlinear temporal interactions in click-evoked otoacoustic emissions. I. Assumed model and polarity-symmetry (146) 89
Kapadia, S. and Lutman, M.E.
Nonlinear temporal interactions in click-evoked otoacoustic emissions. II. Experimental data (146) 101
Kim, J., see Lee, J.H. (146) 7
Kim, K.W., see Lee, J.H. (146) 7
Kim, S.J., see Lee, J.H. (146) 7

Kummer, P., Janssen, T., Hulin, P. and Arnold, W.
Optimal L_1-L_2 primary tone level separation remains independent of test frequency in humans (146) 47

Lee, J.H., Kim, S.J., Jung, S.J., Lim, W., Kim, K.W. and Kim, J.
Voltage-dependent K^+ currents in spiral prominence epithelial cells of rat cochlea (146) 7
Lim, W., see Lee, J.H. (146) 7
Lutman, M.E., see Kapadia, S. (146) 89
Lutman, M.E., see Kapadia, S. (146) 101

Miller, A.L., see Shoji, F. (146) 134
Miller, J.M., see Ohinata, Y. (146) 28
Miller, J.M., see Shoji, F. (146) 134
Miller, R.L., see Cartee, L.A. (146) 143
Mitchell, A., see Shoji, F. (146) 134

Nam, Y.-J., Stöver, T., Hartman, S.S. and Altschuler, R.A.
Upregulation of glial cell line-derived neurotrophic factor (GDNF) in the rat cochlea following noise (146) 1

Ohinata, Y., Yamasoba, T., Schacht, J. and Miller, J.M.
Glutathione limits noise-induced hearing loss (146) 28

Pantoja, A.M., see Holt, J.C. (146) 17

Recio, A. and Rhode, W.S.
Representation of vowel stimuli in the ventral cochlear nucleus of the chinchilla (146) 167
Reimann-Philipp, U., see Surin, A.M. (146) 121
Rhode, W.S., see Recio, A. (146) 167

Savion, I., see Sohmer, H. (146) 81
Schacht, J., see Ohinata, Y. (146) 28
Scheich, H., see Stuermer, I.W. (146) 185
Shepherd, R.K., see Huang, C.Q. (146) 57
Shoji, F., Miller, A.L., Mitchell, A., Yamasoba, T., Altschuler, R.A. and Miller, J.M.
Differential protective effects of neurotrophins in the attenuation of noise-induced hair cell loss (146) 134
Sichel, J.-Y., see Freeman, S. (146) 72
Sohmer, H., see Freeman, S. (146) 72
Sohmer, H., Freeman, S., Geal-Dor, M., Adelman, C. and Savion, I.
Bone conduction experiments in humans – a fluid pathway from bone to ear (146) 81
Stöver, T., see Nam, Y.-J. (146) 1
Stuermer, I.W. and Scheich, H.

PII: S0378-5955(00)00140-4

ELSEVIER

Hearing Research 146 (2000) 200–201

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 146

Adelman, C., see Sohmer, H. (146) 81
Altschuler, R.A., see Nam, Y.-J. (146) 1
Altschuler, R.A., see Shoji, F. (146) 134
Arnold, W., see Kummer, P. (146) 47
Athas, G.B., see Holt, J.C. (146) 17

Cartee, L.A., van den Honert, C., Finley, C.C. and Miller, R.L.
Evaluation of a model of the cochlear neural membrane. I. Physiological measurement of membrane characteristics in response to intrameatal electrical stimulation (146) 143
Cartee, L.A.
Evaluation of a model of the cochlear neural membrane. II: Comparison of model and physiological measures of membrane properties measured in response to intrameatal electrical stimulation (146) 153

Fechter, L.D., see Surin, A.M. (146) 121
Finley, C.C., see Cartee, L.A. (146) 143
Freeman, S., see Sohmer, H. (146) 81
Freeman, S., Sichel, J.-Y. and Sohmer, H.
Bone conduction experiments in animals – evidence for a non-osseous mechanism (146) 72

Geal-Dor, M., see Sohmer, H. (146) 81
Guth, P.S., see Holt, J.C. (146) 17

Hartman, S.S., see Nam, Y.-J. (146) 1
Holt, J.C., Pantoja, A.M., Athas, G.B. and Guth, P.S.
A role for chloride in the hyperpolarizing effect of acetylcholine in isolated frog vestibular hair cells (146) 17
Huang, C.Q. and Shepherd, R.K.
Reduction in excitability of the auditory nerve following electrical stimulation at high stimulus rates: V. Effects of electrode surface area (146) 57
Hulin, P., see Kummer, P. (146) 47

Janssen, T., see Kummer, P. (146) 47
Jung, S.J., see Lee, J.H. (146) 7

Kapadia, S. and Lutman, M.E.
Nonlinear temporal interactions in click-evoked otoacoustic emissions. I. Assumed model and polarity-symmetry (146) 89
Kapadia, S. and Lutman, M.E.
Nonlinear temporal interactions in click-evoked otoacoustic emissions. II. Experimental data (146) 101
Kim, J., see Lee, J.H. (146) 7
Kim, K.W., see Lee, J.H. (146) 7
Kim, S.J., see Lee, J.H. (146) 7

Kummer, P., Janssen, T., Hulin, P. and Arnold, W.
Optimal L_1-L_2 primary tone level separation remains independent of test frequency in humans (146) 47

Lee, J.H., Kim, S.J., Jung, S.J., Lim, W., Kim, K.W. and Kim, J.
Voltage-dependent K^+ currents in spiral prominence epithelial cells of rat cochlea (146) 7
Lim, W., see Lee, J.H. (146) 7
Lutman, M.E., see Kapadia, S. (146) 89
Lutman, M.E., see Kapadia, S. (146) 101

Miller, A.L., see Shoji, F. (146) 134
Miller, J.M., see Ohinata, Y. (146) 28
Miller, J.M., see Shoji, F. (146) 134
Miller, R.L., see Cartee, L.A. (146) 143
Mitchell, A., see Shoji, F. (146) 134

Nam, Y.-J., Stöver, T., Hartman, S.S. and Altschuler, R.A.
Upregulation of glial cell line-derived neurotrophic factor (GDNF) in the rat cochlea following noise (146) 1

Ohinata, Y., Yamasoba, T., Schacht, J. and Miller, J.M.
Glutathione limits noise-induced hearing loss (146) 28

Pantoja, A.M., see Holt, J.C. (146) 17

Recio, A. and Rhode, W.S.
Representation of vowel stimuli in the ventral cochlear nucleus of the chinchilla (146) 167
Reimann-Philipp, U., see Surin, A.M. (146) 121
Rhode, W.S., see Recio, A. (146) 167

Savion, I., see Sohmer, H. (146) 81
Schacht, J., see Ohinata, Y. (146) 28
Scheich, H., see Stuermer, I.W. (146) 185
Shepherd, R.K., see Huang, C.Q. (146) 57
Shoji, F., Miller, A.L., Mitchell, A., Yamasoba, T., Altschuler, R.A. and Miller, J.M.
Differential protective effects of neurotrophins in the attenuation of noise-induced hair cell loss (146) 134
Sichel, J.-Y., see Freeman, S. (146) 72
Sohmer, H., see Freeman, S. (146) 72
Sohmer, H., Freeman, S., Geal-Dor, M., Adelman, C. and Savion, I.
Bone conduction experiments in humans – a fluid pathway from bone to ear (146) 81
Stöver, T., see Nam, Y.-J. (146) 1
Stuermer, I.W. and Scheich, H.

PII: S0378-5955(00)00140-4

Early unilateral auditory deprivation increases 2-deoxyglucose uptake in contralateral auditory cortex of juvenile Mongolian gerbils (146) 185
Surin, A.M., Reimann-Philipp, U. and Fechter, L.D.
Simultaneous monitoring of slow cell motility and calcium signals of the guinea pig outer hair cells (146) 121

van den Honert, C., see Cartee, L.A. (146) 143
Venable-Thibodeaux, S., see Watson, G.M. (146) 35

Watson, G.M. and Venable-Thibodeaux, S.
Immunological evidence that anemone repair proteins include replacement linkages (146) 35

Yamasoba, T., see Ohinata, Y. (146) 28
Yamasoba, T., see Shoji, F. (146) 134

ELSEVIER

Hearing Research 146 (2000) 202–204

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 146

Acetylcholine
Nicotinic; Chloride; Saccule; Frog; Hair cell (Holt, J.C. (146) 17)

Antioxidant
Reactive oxygen species; Noise; Hearing loss; Diet; Guinea pig (Ohinata, Y. (146) 28)

Auditory cortex
Conductive hearing loss; Development; Sensory deprivation; Plasticity; Tonotopic map; 2-Deoxyglucose (Stuermer, I.W. (146) 185)

Auditory nerve
Cat; Cochlear implant; Electrical stimulation; Single-fiber recording (Cartee, L.A. (146) 143)

High rate electrical stimulation; Electrically evoked auditory brainstem response; Cochlear implant; Large surface area electrode; Charge density (Huang, C.Q. (146) 57)

Auditory nerve-brainstem evoked response
Bone conduction; Vibrator; Skull; Cerebro-spinal fluid; Cochlea (Freeman, S. (146) 72)

Auditory neuron
Cochlear implant; Electrical stimulation; Hodgkin–Huxley equation; Neural model (Cartee, L.A. (146) 153)

Basilar membrane
Distortion product otoacoustic emission; Clinical application; Human; Mechanics (Kummer, P. (146) 47)

Bone conduction
Auditory nerve-brainstem evoked response; Vibrator; Skull; Cerebro-spinal fluid; Cochlea (Freeman, S. (146) 72)

Human; Craniotomy; Fontanelle; CSF; Cochlea; Vibration (Sohmer, H. (146) 81)

Calcium
Outer hair cell; Motility; Na^+/Ca^{2+} exchange; Guinea pig (Surin, A.M. (146) 121)

Cat
Auditory nerve; Cochlear implant; Electrical stimulation; Single-fiber recording (Cartee, L.A. (146) 143)

Cerebro-spinal fluid
Bone conduction; Auditory nerve-brainstem evoked response; Vibrator; Skull; Cochlea (Freeman, S. (146) 72)

Charge density
Auditory nerve; High rate electrical stimulation; Electrically evoked auditory brainstem response; Cochlear implant; Large surface area electrode (Huang, C.Q. (146) 57)

Chloride
Acetylcholine; Nicotinic; Saccule; Frog; Hair cell (Holt, J.C. (146) 17)

Click response
Otoacoustic emission; Nonlinear interaction; Model; Inter-click interval; Cochlear mechanics (Kapadia, S. (146) 101)

Otoacoustic emission; Nonlinear interaction; Model; Inter-click interval; Cochlear mechanics (Kapadia, S. (146) 89)

Clinical application
Distortion product otoacoustic emission; Human; Basilar membrane; Mechanics (Kummer, P. (146) 47)

Cochlea
Noise; Glial cell line-derived neurotrophic factor; Western blotting; Stress response (Nam, Y.-J. (146) 1)

Bone conduction; Auditory nerve-brainstem evoked response; Vibrator; Skull; Cerebro-spinal fluid (Freeman, S. (146) 72)

Bone conduction; Human; Craniotomy; Fontanelle; CSF; Vibration (Sohmer, H. (146) 81)

Cochlear implant
Auditory nerve; Cat; Electrical stimulation; Single-fiber recording (Cartee, L.A. (146) 143)

Auditory neuron; Electrical stimulation; Hodgkin–Huxley equation; Neural model (Cartee, L.A. (146) 153)

Auditory nerve; High rate electrical stimulation; Electrically evoked auditory brainstem response; Large surface area electrode; Charge density (Huang, C.Q. (146) 57)

Cochlear mechanics
Otoacoustic emission; Nonlinear interaction; Model; Inter-click interval; Click response (Kapadia, S. (146) 101)

Otoacoustic emission; Nonlinear interaction; Model; Inter-click interval; Click response (Kapadia, S. (146) 89)

Cochlear nucleus
Speech; Vowel (Recio, A. (146) 167)

PII: S0378-5955(00)00141-6

Conductive hearing loss
Development; Auditory cortex; Sensory deprivation; Plasticity; Tonotopic map; 2-Deoxyglucose (Stuermer, I.W. (146) 185)

Craniotomy
Bone conduction; Human; Fontanelle; CSF; Cochlea; Vibration (Sohmer, H. (146) 81)

CSF
Bone conduction; Human; Craniotomy; Fontanelle; Cochlea; Vibration (Sohmer, H. (146) 81)

Delayed rectifier
Spiral prominence epithelial cell; K^+ current; Inward rectifier (Lee, J.H. (146) 7)

Development
Conductive hearing loss; Auditory cortex; Sensory deprivation; Plasticity; Tonotopic map; 2-Deoxyglucose (Stuermer, I.W. (146) 185)

Diet
Reactive oxygen species; Antioxidant; Noise; Hearing loss; Guinea pig (Ohinata, Y. (146) 28)

Distortion product otoacoustic emission
Clinical application; Human; Basilar membrane; Mechanics (Kummer, P. (146) 47)

2-Deoxyglucose
Conductive hearing loss; Development; Auditory cortex; Sensory deprivation; Plasticity; Tonotopic map (Stuermer, I.W. (146) 185)

Electrical stimulation
Auditory nerve; Cat; Cochlear implant; Single-fiber recording (Cartee, L.A. (146) 143)

Auditory neuron; Cochlear implant; Hodgkin–Huxley equation; Neural model (Cartee, L.A. (146) 153)

Electrically evoked auditory brainstem response
Auditory nerve; High rate electrical stimulation; Cochlear implant; Large surface area electrode; Charge density (Huang, C.Q. (146) 57)

Fontanelle
Bone conduction; Human; Craniotomy; CSF; Cochlea; Vibration (Sohmer, H. (146) 81)

Frog
Acetylcholine; Nicotinic; Chloride; Saccule; Hair cell (Holt, J.C. (146) 17)

Glial cell line-derived neurotrophic factor
Cochlea; Noise; Western blotting; Stress response (Nam, Y.-J. (146) 1)

Guinea pig
Calcium; Outer hair cell; Motility; Na^+/Ca^{2+} exchange (Surin, A.M. (146) 121)

Reactive oxygen species; Antioxidant; Noise; Hearing loss; Diet (Ohinata, Y. (146) 28)

Hair bundle
Stereocilia; Hair cell (Watson, G.M. (146) 35)

Hair cell
Acetylcholine; Nicotinic; Chloride; Saccule; Frog (Holt, J.C. (146) 17)

Hair bundle; Stereocilia (Watson, G.M. (146) 35)

Hearing loss
Reactive oxygen species; Antioxidant; Noise; Diet; Guinea pig (Ohinata, Y. (146) 28)

High rate electrical stimulation
Auditory nerve; Electrically evoked auditory brainstem response; Cochlear implant; Large surface area electrode; Charge density (Huang, C.Q. (146) 57)

Hodgkin–Huxley equation
Auditory neuron; Cochlear implant; Electrical stimulation; Neural model (Cartee, L.A. (146) 153)

Human
Distortion product otoacoustic emission; Clinical application; Basilar membrane; Mechanics (Kummer, P. (146) 47)

Bone conduction; Craniotomy; Fontanelle; CSF; Cochlea; Vibration (Sohmer, H. (146) 81)

Inter-click interval
Otoacoustic emission; Nonlinear interaction; Model; Cochlear mechanics; Click response (Kapadia, S. (146) 101)

Otoacoustic emission; Nonlinear interaction; Model; Cochlear mechanics; Click response (Kapadia, S. (146) 89)

Inward rectifier
Spiral prominence epithelial cell; K^+ current; Delayed rectifier (Lee, J.H. (146) 7)

K^+ current
Spiral prominence epithelial cell; Delayed rectifier; Inward rectifier (Lee, J.H. (146) 7)

Large surface area electrode
Auditory nerve; High rate electrical stimulation; Electrically evoked auditory brainstem response; Cochlear implant; Charge density (Huang, C.Q. (146) 57)

Mechanics
Distortion product otoacoustic emission; Clinical application; Human; Basilar membrane (Kummer, P. (146) 47)

Model
Otoacoustic emission; Nonlinear interaction; Inter-click interval; Cochlear mechanics; Click response (Kapadia, S. (146) 101)

Otoacoustic emission; Nonlinear interaction; Inter-click interval; Cochlear mechanics; Click response (Kapadia, S. (146) 89)

Motility
Calcium; Outer hair cell; Na^+/Ca^{2+} exchange; Guinea pig (Surin, A.M. (146) 121)

Na^+/Ca^{2+} exchange
Calcium; Outer hair cell; Motility; Guinea pig (Surin, A.M. (146) 121)

Neural model
Auditory neuron; Cochlear implant; Electrical stimulation; Hodgkin–Huxley equation (Cartee, L.A. (146) 153)

Nicotinic
Acetylcholine; Chloride; Saccule; Frog; Hair cell (Holt, J.C. (146) 17)

Noise
Cochlea; Glial cell line-derived neurotrophic factor; Western blotting; Stress response (Nam, Y.-J. (146) 1)

Reactive oxygen species; Antioxidant; Hearing loss; Diet; Guinea pig (Ohinata, Y. (146) 28)

Nonlinear interaction
Otoacoustic emission; Model; Inter-click interval; Cochlear mechanics; Click response (Kapadia, S. (146) 101)

Otoacoustic emission; Model; Inter-click interval; Cochlear mechanics; Click response (Kapadia, S. (146) 89)

Otoacoustic emission
Nonlinear interaction; Model; Inter-click interval; Cochlear mechanics; Click response (Kapadia, S. (146) 101)

Nonlinear interaction; Model; Inter-click interval; Cochlear mechanics; Click response (Kapadia, S. (146) 89)

Outer hair cell
Calcium; Motility; Na^+/Ca^{2+} exchange; Guinea pig (Surin, A.M. (146) 121)

Plasticity
Conductive hearing loss; Development; Auditory cortex; Sensory deprivation; Tonotopic map; 2-Deoxyglucose (Stuermer, I.W. (146) 185)

Reactive oxygen species
Antioxidant; Noise; Hearing loss; Diet; Guinea pig (Ohinata, Y. (146) 28)

Saccule
Acetylcholine; Nicotinic; Chloride; Frog; Hair cell (Holt, J.C. (146) 17)

Sensory deprivation
Conductive hearing loss; Development; Auditory cortex; Plasticity; Tonotopic map; 2-Deoxyglucose (Stuermer, I.W. (146) 185)

Single-fiber recording
Auditory nerve; Cat; Cochlear implant; Electrical stimulation (Cartee, L.A. (146) 143)

Skull
Bone conduction; Auditory nerve-brainstem evoked response; Vibrator; Cerebro-spinal fluid; Cochlea (Freeman, S. (146) 72)

Speech
Cochlear nucleus; Vowel (Recio, A. (146) 167)

Spiral prominence epithelial cell
K^+ current; Delayed rectifier; Inward rectifier (Lee, J.H. (146) 7)

Stereocilia
Hair bundle; Hair cell (Watson, G.M. (146) 35)

Stress response
Cochlea; Noise; Glial cell line-derived neurotrophic factor; Western blotting (Nam, Y.-J. (146) 1)

Tonotopic map
Conductive hearing loss; Development; Auditory cortex; Sensory deprivation; Plasticity; 2-Deoxyglucose (Stuermer, I.W. (146) 185)

Vibration
Bone conduction; Human; Craniotomy; Fontanelle; CSF; Cochlea (Sohmer, H. (146) 81)

Vibrator
Bone conduction; Auditory nerve-brainstem evoked response; Skull; Cerebro-spinal fluid; Cochlea (Freeman, S. (146) 72)

Vowel
Cochlear nucleus; Speech (Recio, A. (146) 167)

Western blotting
Cochlea; Noise; Glial cell line-derived neurotrophic factor; Stress response (Nam, Y.-J. (146) 1)